

台北捐血中心
血液成品 QC 測試報告

製備場所：成分課

測試月份：104 年 6 月

Components		Test	No of tested /No of prepared	Test Result		Target Value	
				Mean	SD		
紅 血 球	Packed RBCs	Hct	44/40,842	65	4.1	55-80% w/o SAGM	
			20/11,130	54	1.9	50-70% w. SAGM	
球 類	Leukocyte	leukocyte count	4/602	0.12	0.030	$<5 \times 10^6$ /unit w/o SAGM	
	Reduced RBCs	($\times 10^6$ /unit)	8/2,510	0.095	0.018	$<5 \times 10^6$ /unit w SAGM	
血 小 板 類	Platelet Concentrate	platelet count ($\times 10^{10}$ /unit)	40/5,890	3.8	1.01	$\geq 2.75 \times 10^{10}$ /unit	
		pH	40/5,890	7.3	0.12	≥ 6.2	
	Apheresis Platelets	platelet count ($\times 10^{11}$ /unit)	21/3,885	3.6	0.42	$\geq 3.0 \times 10^{11}$ /unit	
		pH	21/3,885	7.4	0.15	≥ 6.2	
	Leukocyte Reduced Apheresis Platelets	leukocyte count ($\times 10^6$ /unit)	16/3,238	0.28	0.11	$<5 \times 10^6$ /unit	
		platelet count ($\times 10^{11}$ /unit)	16/3,238	3.4	0.19	$\geq 3.0 \times 10^{11}$ /unit	
		pH	16/3,238	7.4	0.079	≥ 6.2	
	血 漿 類	FFP	Factor VIII	14/40,464	133	63	$\geq 70\%$
			RBC count ($\times 10^9$ /L)	42/40,464	ND		$<6.0 \times 10^9$ /L
leukocyte count ($\times 10^9$ /L)			42/40,464	ND		$<0.1 \times 10^9$ /L	
platelet count ($\times 10^9$ /L)			42/40,464	14	4.8	$<50 \times 10^9$ /L	
Cryo		factor VIII	24/7,440	139		≥ 40 IU /unit	
		fibrinogen	24/7,440	160	42	≥ 75 mg /unit	

備註：

- 1.FFP 之紅血球數目及白血球數目其檢驗值低於 CBC 偵測極限，以 Not Detectable, "ND" 表示。
2. No of tested/No of prepared 之 No, 表示為 unit。

表 QP-BB-032-6.7-001

機密等級：■一般 □限閱 □密 □機密

紀錄編號：E0-10407-001