

台北捐血中心  
血液成品 QC 測試報告

製備場所：成分課

測試月份：104 年 8 月

Components		Test	No of tested /No of prepared	Test Result		Target Value
				Mean	SD	
紅 血 球 類	Packed RBCs	Hct	44/37,561	64	4.1	55-80% w/o SAGM
			20/10,746	56	2.6	50-70% w. SAGM
	Leukocyte	leukocyte count	4/427	0.13	0.053	$<5 \times 10^6$ /unit w/o SAGM
	Reduced RBCs	( $\times 10^6$ /unit)	8/2,684	0.198	0.101	$<5 \times 10^6$ /unit w SAGM
血 小 板 類	Platelet Concentrate	platelet count ( $\times 10^{10}$ /unit)	62/5,702	4.6	1.2	$\geq 2.75 \times 10^{10}$ /unit
		pH	62/5,702	7.0	0.55	$\geq 6.2$
	Apheresis Platelets	platelet count ( $\times 10^{11}$ /unit)	29/3,815	3.3	0.26	$\geq 3.0 \times 10^{11}$ /unit
		pH	29/3,815	7.5	0.082	$\geq 6.2$
	Leukocyte Reduced Apheresis Platelets	leukocyte count ( $\times 10^6$ /unit)	14/3,390	1.2	0.47	$<5 \times 10^6$ /unit
		platelet count ( $\times 10^{11}$ /unit)	14/3,390	3.7	0.62	$\geq 3.0 \times 10^{11}$ /unit
		pH	14/3,390	7.5	0.16	$\geq 6.2$
	血 漿 類	FFP	Factor VIII	14/37,530	118	33
RBC count ( $\times 10^9$ /L)			42/37,530	ND		$<6.0 \times 10^9$ /L
leukocyte count ( $\times 10^9$ /L)			42/37,530	ND		$<0.1 \times 10^9$ /L
platelet count ( $\times 10^9$ /L)			42/37,530	16	7.4	$<50 \times 10^9$ /L
Cryo		factor VIII	24/7,352	134		$\geq 40$ IU /unit
		fibrinogen	24/7,352	177	41	$\geq 75$ mg /unit

備註：

- 1.FFP 之紅血球數目及白血球數目其檢驗值低於 CBC 偵測極限，以 Not Detectable, "ND" 表示。
2. No of tested/No of prepared 之 No, 表示為 unit。

表 QP-BB-032-6.7-001

機密等級：■一般 □限閱 □密 □機密

紀錄編號：E0-10409-001