

台北捐血中心  
血液成品 QC 測試報告

製備場所：成分課/花蓮站

測試月份：106 年 12 月

Components		Test	No of tested /No of prepared	Test Result		Target Value	
				Mean	SD		
紅 血 球 類	Packed RBCs	Hct	64/49,590	66	4.2	55-80% w/o SAGM	
			NA			50-70% w. SAGM	
	Leukocyte Reduced RBCs	leukocyte count ( $\times 10^6$ /unit)	21/13,099	0.30	0.14	$< 5 \times 10^6$ /unit	
血 小 板 類	Platelet Concentrate	platelet count ( $\times 10^{10}$ /unit)	40/3,846	5.2	1.1	$\geq 2.75 \times 10^{10}$ /unit	
		pH	40/3,846	7.1	0.39	$\geq 6.2$	
	Apheresis Platelets	platelet count ( $\times 10^{11}$ /unit)	13/3,439	4.0	0.44	$\geq 3.0 \times 10^{11}$ /unit	
		pH	13/3,439	7.5	0.10	$\geq 6.2$	
	Leukocyte Reduced Apheresis Platelets	leukocyte count ( $\times 10^6$ /unit)	24/5,665	0.36	0.29	$< 5 \times 10^6$ /unit	
		platelet count ( $\times 10^{11}$ /unit)	24/5,665	3.7	0.31	$\geq 3.0 \times 10^{11}$ /unit	
		pH	24/5,665	7.5	0.073	$\geq 6.2$	
	血 漿 類	FFP	Factor VIII	14/36,557	104	43	$\geq 70\%$
			RBC count ( $\times 10^9$ /L)	46/36,557	ND	NA	$< 6.0 \times 10^9$ /L
leukocyte count ( $\times 10^9$ /L)			46/36,557	ND	NA	$< 0.1 \times 10^9$ /L	
platelet count ( $\times 10^9$ /L)			46/36,557	17	10	$< 50 \times 10^9$ /L	
Cryo		factor VIII	24/11,522	51	NA	$\geq 40$ IU /unit	
		fibrinogen	24/11,522	104	24	$\geq 75$ mg /unit	

備註：

- 1.FFP 之紅血球數目及白血球數目其檢驗值低於 CBC 偵測極限，以 Not Detectable ,”ND”表示。
2. No of tested/No of prepared 之 No,表示為 unit。

表 QP-BB-032-6.7-001