

台北捐血中心
血液成品 QC 測試報告

製備場所：成分課、花蓮站

測試月份：107 年 4 月

Components		Test	No of tested /No of prepared	Test Result		Target Value
				Mean	SD	
紅 血 球 類	Packed RBCs	Hct	55/40,211	66	4.3	55-80% w/o SAGM
			NA			50-70% w. SAGM
	Leukocyte Reduced RBCs	leukocyte count ($\times 10^6$ /unit)	32/19,904	0.18	0.15	$< 5 \times 10^6$ /unit
血 小 板 類	Platelet Concentrate	platelet count ($\times 10^{10}$ /unit)	60/3,186	4.4	1.1	$\geq 2.75 \times 10^{10}$ /unit
		pH	60/3,186	7.2	0.23	≥ 6.2
	Apheresis Platelets	platelet count ($\times 10^{11}$ /unit)	32/3,257	3.6	0.27	$\geq 3.0 \times 10^{11}$ /unit
		pH	32/3,257	7.4	0.10	≥ 6.2
	Leukocyte Reduced Apheresis Platelets	leukocyte count ($\times 10^6$ /unit)	22/5,513	0.26	0.18	$< 5 \times 10^6$ /unit
		platelet count ($\times 10^{11}$ /unit)	22/5,513	3.6	0.31	$\geq 3.0 \times 10^{11}$ /unit
		pH	22/5,513	7.5	0.084	≥ 6.2
血 漿 類	FFP	Factor VIII	14/35,490	84	19	$\geq 70\%$
		RBC count ($\times 10^9$ /L)	55/35,490	ND	NA	$< 6.0 \times 10^9$ /L
		leukocyte count ($\times 10^9$ /L)	55/35,490	ND	NA	$< 0.1 \times 10^9$ /L
		platelet count ($\times 10^9$ /L)	55/35,490	17	8.9	$< 50 \times 10^9$ /L
	Cryo	factor VIII	12/12,998	47	NA	≥ 40 IU /unit
		fibrinogen	12/12,998	150	34	≥ 75 mg /unit

備註：

- 1.FFP 之紅血球數目及白血球數目其檢驗值低於 CBC 偵測極限，以 Not Detectable ,”ND”表示。
2. No of tested/No of prepared 之 No 表示 unit。

表 QP-BB-032-6.7-001