

台北捐血中心  
血液成品 QC 測試報告

製備場所：成分課、花蓮站

測試月份：107 年 8 月

Components		Test	No of tested /No of prepared	Test Result		Target Value	
				Mean	SD		
紅 血 球 類	Packed RBCs	Hct	70/37,513	66	4.9	55-80% w/o SAGM	
			NA			50-70% w. SAGM	
	Leukocyte Reduced RBCs	leukocyte count ( $\times 10^6$ /unit)	34/20,293	0.28	0.29	$< 5 \times 10^6$ /unit	
血 小 板 類	Platelet Concentrate	platelet count ( $\times 10^{10}$ /unit)	38/2,466	4.5	1.1	$\geq 2.75 \times 10^{10}$ /unit	
		pH	38/2,466	7.1	0.26	$\geq 6.2$	
	Apheresis Platelets	platelet count ( $\times 10^{11}$ /unit)	26/3,039	3.7	0.34	$\geq 3.0 \times 10^{11}$ /unit	
		pH	26/3,039	7.4	0.087	$\geq 6.2$	
	Leukocyte Reduced Apheresis Platelets	leukocyte count ( $\times 10^6$ /unit)	22/5,520	0.088	0.061	$< 5 \times 10^6$ /unit	
		platelet count ( $\times 10^{11}$ /unit)	22/5,520	3.7	0.30	$\geq 3.0 \times 10^{11}$ /unit	
		pH	22/5,520	7.5	0.057	$\geq 6.2$	
	血 漿 類	FFP	Factor VIII	14/34,872	85	22	$\geq 70\%$
			RBC count ( $\times 10^9$ /L)	62/34,872	ND	NA	$< 6.0 \times 10^9$ /L
leukocyte count ( $\times 10^9$ /L)			62/34,872	ND	NA	$< 0.1 \times 10^9$ /L	
platelet count ( $\times 10^9$ /L)			62/34,872	26	12	$< 50 \times 10^9$ /L	
Cryo		factor VIII	12/5,744	51	NA	$\geq 40$ IU /unit	
		fibrinogen	12/5,744	184	33	$\geq 75$ mg /unit	

備註：

- 1.FFP 之紅血球數目及白血球數目其檢驗值低於 CBC 偵測極限，以 Not Detectable ,”ND”表示。
2. No of tested/No of prepared 之 No 表示 unit。

表 QP-BB-032-6.7-001