

台北捐血中心
血液成品 QC 測試報告

製備場所：成分課、花蓮站

測試月份：107 年 12 月

Components		Test	No of tested /No of prepared	Test Result		Target Value	
				Mean	SD		
紅 血 球 類	Packed RBCs	Hct	58/34,093	66	6.2	55-80% w/o SAGM	
			NA			50-70% w. SAGM	
	Leukocyte Reduced RBCs	leukocyte count ($\times 10^6$ /unit)	32/26,469	0.12	0.11	$< 5 \times 10^6$ /unit	
血 小 板 類	Platelet Concentrate	platelet count ($\times 10^{10}$ /unit)	40/1,330	4.8	1.1	$\geq 2.75 \times 10^{10}$ /unit	
		pH	40/1,330	7.1	0.22	≥ 6.2	
	Apheresis Platelets	platelet count ($\times 10^{11}$ /unit)	13/3,191	4.0	0.35	$\geq 3.0 \times 10^{11}$ /unit	
		pH	13/3,191	7.5	0.052	≥ 6.2	
	Leukocyte Reduced Apheresis Platelets	leukocyte count ($\times 10^6$ /unit)	26/5,668	0.075	0.031	$< 5 \times 10^6$ /unit	
		platelet count ($\times 10^{11}$ /unit)	26/5,668	3.6	0.39	$\geq 3.0 \times 10^{11}$ /unit	
		pH	26/5,668	7.5	0.11	≥ 6.2	
	血 漿 類	FFP	Factor VIII	14/32,465	98	32	$\geq 70\%$
			RBC count ($\times 10^9$ /L)	50/32,465	ND	NA	$< 6.0 \times 10^9$ /L
leukocyte count ($\times 10^9$ /L)			50/32,465	ND	NA	$< 0.1 \times 10^9$ /L	
platelet count ($\times 10^9$ /L)			50/32,465	19	10	$< 50 \times 10^9$ /L	
Cryo		factor VIII	12/15,112	62	NA	≥ 40 IU /unit	
		fibrinogen	12/15,112	191	52	≥ 75 mg /unit	

備註：

- 1.FFP 之紅血球數目及白血球數目其檢驗值低於 CBC 偵測極限，以 Not Detectable ,”ND”表示。
- 2.No of tested/No of prepared 之 No 表示 unit。

表 QP-BB-032-6.7-001