

台北捐血中心  
血液成品 QC 測試報告

製備場所：成分課、花蓮站

測試月份：108 年 6 月

Components		Test	No of tested /No of prepared	Test Result		Target Value
				Mean	SD	
紅 血 球 類	Packed RBCs	Hct	36/32,934	67	4.9	55-80% w/o SAGM
			NA			50-70% w. SAGM
	Leukocyte Reduced RBCs	leukocyte count ( $\times 10^6$ /unit)	70/28,630	0.10	0.12	$< 5 \times 10^6$ /unit
血 小 板 類	Platelet Concentrate	platelet count ( $\times 10^{10}$ /unit)	20/2,760	3.8	1.1	$\geq 2.75 \times 10^{10}$ /unit
		pH	20/2,760	7.1	0.30	$\geq 6.2$
	Apheresis Platelets	platelet count ( $\times 10^{11}$ /unit)	13/3,076	3.9	0.23	$\geq 3.0 \times 10^{11}$ /unit
		pH	13/3,076	7.5	0.13	$\geq 6.2$
	Leukocyte Reduced Apheresis Platelets	leukocyte count ( $\times 10^6$ /unit)	28/6,036	0.063	0.045	$< 5 \times 10^6$ /unit
		platelet count ( $\times 10^{11}$ /unit)	28/6,036	3.7	0.42	$\geq 3.0 \times 10^{11}$ /unit
		pH	28/6,036	7.5	0.080	$\geq 6.2$
血 漿 類	FFP	Factor VIII	14/31,617	90	28	$\geq 70\%$
		RBC count ( $\times 10^9$ /L)	38/31,617	ND	NA	$< 6.0 \times 10^9$ /L
		leukocyte count ( $\times 10^9$ /L)	38/31,617	ND	NA	$< 0.1 \times 10^9$ /L
		platelet count ( $\times 10^9$ /L)	38/31,617	16	6.6	$< 50 \times 10^9$ /L
	Cryo	factor VIII	12/14,926	54	NA	$\geq 40$ IU /unit
		fibrinogen	12/14,926	131	50	$\geq 75$ mg /unit

備註：

- 1.FFP 之紅血球數目及白血球數目其檢驗值低於 CBC 偵測極限，以 Not Detectable ,”ND”表示。
2. No of tested/No of prepared 之 No 表示 unit。

表 QP-BB-032-6.7-001