

台北捐血中心
血液成品 QC 測試報告

製備場所：成分課、花蓮站

測試月份：108 年 8 月

Components		Test	No of tested /No of prepared	Test Result		Target Value
				Mean	SD	
紅 血 球 類	Packed RBCs	Hct	59/31,495	68	4.9	55-80% w/o SAGM
			NA			50-70% w. SAGM
	Leukocyte Reduced RBCs	leukocyte count ($\times 10^6$ /unit)	46/33,320	0.038	0.034	$< 5 \times 10^6$ /unit
血 小 板 類	Platelet Concentrate	platelet count ($\times 10^{10}$ /unit)	22/694	4.8	1.3	$\geq 2.75 \times 10^{10}$ /unit
		pH	22/694	6.9	0.32	≥ 6.2
	Apheresis Platelets	platelet count ($\times 10^{11}$ /unit)	15/3,197	4.0	0.35	$\geq 3.0 \times 10^{11}$ /unit
		pH	15/3,197	7.4	0.10	≥ 6.2
	Leukocyte Reduced Apheresis Platelets	leukocyte count ($\times 10^6$ /unit)	30/6,318	0.047	0.026	$< 5 \times 10^6$ /unit
		platelet count ($\times 10^{11}$ /unit)	30/6,318	3.8	0.34	$\geq 3.0 \times 10^{11}$ /unit
		pH	30/6,318	7.4	0.26	≥ 6.2
血 漿 類	FFP	Factor VIII	14/34,765	85	22	$\geq 70\%$
		RBC count ($\times 10^9$ /L)	49/34,765	ND	NA	$< 6.0 \times 10^9$ /L
		leukocyte count ($\times 10^9$ /L)	49/34,765	ND	NA	$< 0.1 \times 10^9$ /L
		platelet count ($\times 10^9$ /L)	49/34,765	20	13	$< 50 \times 10^9$ /L
	Cryo	factor VIII	12/12,446	51	NA	≥ 40 IU /unit
		fibrinogen	12/12,446	135	33	≥ 75 mg /unit

備註：

- 1.FFP 之紅血球數目及白血球數目其檢驗值低於 CBC 偵測極限，以 Not Detectable ,”ND”表示。
- 2.No of tested/No of prepared 之 No 表示 unit。

表 QP-BB-032-6.7-001