

台北捐血中心  
血液成品 QC 測試報告

製備場所：成分課、花蓮站

測試月份：108 年 10 月

Components		Test	No of tested /No of prepared	Test Result		Target Value	
				Mean	SD		
紅 血 球 類	Packed RBCs	Hct	56/29,146	65	4.8	55-80% w/o SAGM	
			NA			50-70% w. SAGM	
	Leukocyte Reduced RBCs	leukocyte count ( $\times 10^6$ /unit)	85/35,109	0.13	0.14	$< 5 \times 10^6$ /unit	
血 小 板 類	Platelet Concentrate	platelet count ( $\times 10^{10}$ /unit)	20/2,230	3.8	0.91	$\geq 2.75 \times 10^{10}$ /unit	
		pH	20/2,230	7.1	0.24	$\geq 6.2$	
	Apheresis Platelets	platelet count ( $\times 10^{11}$ /unit)	19/3,028	3.9	0.34	$\geq 3.0 \times 10^{11}$ /unit	
		pH	19/3,028	7.5	0.12	$\geq 6.2$	
	Leukocyte Reduced Apheresis Platelets	leukocyte count ( $\times 10^6$ /unit)	30/6,158	0.059	0.010	$< 5 \times 10^6$ /unit	
		platelet count ( $\times 10^{11}$ /unit)	30/6,158	3.9	0.42	$\geq 3.0 \times 10^{11}$ /unit	
		pH	30/6,158	7.5	0.11	$\geq 6.2$	
	血 漿 類	FFP	Factor VIII	11/31,527	94	32	$\geq 70\%$
			RBC count ( $\times 10^9$ /L)	49/31,527	ND	NA	$< 6.0 \times 10^9$ /L
leukocyte count ( $\times 10^9$ /L)			49/31,527	ND	NA	$< 0.1 \times 10^9$ /L	
platelet count ( $\times 10^9$ /L)			49/31,527	19	10	$< 50 \times 10^9$ /L	
Cryo		factor VIII	12/13,706	65	NA	$\geq 40$ IU /unit	
		fibrinogen	12/13,706	148	28	$\geq 75$ mg /unit	

備註：

- 1.FFP 之紅血球數目及白血球數目其檢驗值低於 CBC 偵測極限，以 Not Detectable ,”ND”表示。
- 2.No of tested/No of prepared 之 No 表示 unit。

表 QP-BB-032-6.7-001