

台北捐血中心
血液成品 QC 測試報告

製備場所：成分課、花蓮站

測試月份：109 年 10 月

Components		Test	No of tested /No of prepared	Test Result		Target Value	
				Mean	SD		
紅 血 球 類	Packed RBCs	Hct	47/10,242	68	4.6	55-80% w/o SAGM	
			NA			50-70% w. SAGM	
	Leukocyte Reduced RBCs	leukocyte count ($\times 10^6$ /unit)	79/57,013	0.026	0.025	$< 5 \times 10^6$ /unit	
血 小 板 類	Platelet Concentrate	platelet count ($\times 10^{10}$ /unit)	22/762	4.6	0.98	$\geq 2.75 \times 10^{10}$ /unit	
		pH	22/762	7.1	0.23	≥ 6.2	
	Apheresis Platelets	platelet count ($\times 10^{11}$ /unit)	14/2,843	3.8	0.32	$\geq 3.0 \times 10^{11}$ /unit	
		pH	14/2,843	7.4	0.13	≥ 6.2	
	Leukocyte Reduced Apheresis Platelets	leukocyte count ($\times 10^6$ /unit)	36/6,806	0.07	0.018	$< 5 \times 10^6$ /unit	
		platelet count ($\times 10^{11}$ /unit)	36/6,806	3.6	0.44	$\geq 3.0 \times 10^{11}$ /unit	
		pH	36/6,806	7.4	0.097	≥ 6.2	
	血 漿 類	FFP	Factor VIII	11/28,654	90	21	$\geq 70\%$
			RBC count ($\times 10^9$ /L)	64/28,654	ND	NA	$< 6.0 \times 10^9$ /L
leukocyte count ($\times 10^9$ /L)			64/28,654	0.012	0.012	$< 0.1 \times 10^9$ /L	
platelet count ($\times 10^9$ /L)			64/28,654	14	13	$< 50 \times 10^9$ /L	
Cryo		factor VIII	12/12,918	82	NA	≥ 40 IU /unit	
		fibrinogen	12/12,918	194	60	≥ 75 mg /unit	

備註：

- 1.FFP 之紅血球數目其檢驗值低於 CBC 偵測極限，以 Not Detectable, "ND" 表示。
2. No of tested/No of prepared 之 No 表示 unit。

表 QP-BB-032-6.7-001