

台北捐血中心  
血液成品 QC 測試報告

製備場所：成分課、花蓮站

測試月份：110 年 2 月

Components		Test	No of tested /No of prepared	Test Result		Target Value	
				Mean	SD		
紅 血 球 類	Packed RBCs	Hct	24/3,122	69	5.1	55-80% w/o SAGM	
			NA				
	Leukocyte Reduced RBCs	leukocyte count ( $\times 10^6$ /unit)	78/57,263	0.044	0.028	$< 5 \times 10^6$ /unit	
血 小 板 類	Platelet Concentrate	platelet count ( $\times 10^{10}$ /unit)	20/362	4.9	1.3	$\geq 2.75 \times 10^{10}$ /unit	
		pH	20/362	6.8	0.57	$\geq 6.2$	
	Apheresis Platelets	platelet count ( $\times 10^{11}$ /unit)	11/2,520	3.5	0.31	$\geq 3.0 \times 10^{11}$ /unit	
		pH	11/2,520	7.4	0.082	$\geq 6.2$	
	Leukocyte Reduced Apheresis Platelets	leukocyte count ( $\times 10^6$ /unit)	40/6,094	0.079	0.051	$< 5 \times 10^6$ /unit	
		platelet count ( $\times 10^{11}$ /unit)	40/6,094	3.2	0.21	$\geq 3.0 \times 10^{11}$ /unit	
		pH	40/6,094	7.5	0.052	$\geq 6.2$	
	血 漿 類	FFP	Factor VIII	11/37,431	107	28	$\geq 70\%$
			RBC count ( $\times 10^9$ /L)	70/37,431	ND	NA	$< 6.0 \times 10^9$ /L
leukocyte count ( $\times 10^9$ /L)			70/37,431	0.0096	0.013	$< 0.1 \times 10^9$ /L	
platelet count ( $\times 10^9$ /L)			70/37,431	11	13	$< 50 \times 10^9$ /L	
Cryo		factor VIII	12/9,518	69	16	$\geq 40$ IU /unit	
		fibrinogen	12/9,518	147	21	$\geq 75$ mg /unit	

備註：

- 1.FFP 之紅血球數目其檢驗值低於 CBC 偵測極限，以 Not Detectable, "ND" 表示。
2. No of tested/No of prepared 之 No 表示 unit。

表 QP-BB-032-6.7-001