

台北捐血中心  
血液成品 QC 測試報告

製備場所：成分課、花蓮站

測試月份：110 年 4 月

Components		Test	No of tested /No of prepared	Test Result		Target Value	
				Mean	SD		
紅 血 球 類	Packed RBCs	Hct	24/1,168	69	5.6	55-80% w/o SAGM	
			NA			50-70% w. SAGM	
	Leukocyte Reduced RBCs	leukocyte count ( $\times 10^6$ /unit)	88/62,318	0.045	0.038	$< 5 \times 10^6$ /unit	
血 小 板 類	Platelet Concentrate	platelet count ( $\times 10^{10}$ /unit)	20/636	4.1	0.8	$\geq 2.75 \times 10^{10}$ /unit	
		pH	20/6366	7.2	0.11	$\geq 6.2$	
	Apheresis Platelets	platelet count ( $\times 10^{11}$ /unit)	13/2,966	3.7	0.42	$\geq 3.0 \times 10^{11}$ /unit	
		pH	13/2,966	7.4	0.074	$\geq 6.2$	
	Leukocyte Reduced Apheresis Platelets	leukocyte count ( $\times 10^6$ /unit)	42/6,562	0.052	0.025	$< 5 \times 10^6$ /unit	
		platelet count ( $\times 10^{11}$ /unit)	42/6,562	3.5	0.33	$\geq 3.0 \times 10^{11}$ /unit	
		pH	42/6,562	7.5	0.081	$\geq 6.2$	
	血 漿 類	FFP	Factor VIII	14/36,996	111	36	$\geq 70\%$
			RBC count ( $\times 10^9$ /L)	78/36,996	ND	NA	$< 6.0 \times 10^9$ /L
leukocyte count ( $\times 10^9$ /L)			78/36,996	0.0063	0.0084	$< 0.1 \times 10^9$ /L	
platelet count ( $\times 10^9$ /L)			78/36,996	13	16	$< 50 \times 10^9$ /L	
Cryo		factor VIII	12/13,772	50	5.7	$\geq 40$ IU /unit	
		fibrinogen	12/13,772	138	21	$\geq 75$ mg /unit	

備註：

- 1.FFP 之紅血球數目其檢驗值低於 CBC 偵測極限，以 Not Detectable, "ND" 表示。
2. No of tested/No of prepared 之 No 表示 unit。

表 QP-BB-032-6.7-001