

台北捐血中心
血液成品 QC 測試報告

製備場所：成分課、花蓮站

測試月份：111 年 2 月

Components		Test	No of tested /No of prepared	Test Result		Target Value	
				Mean	SD		
紅 血 球 類	Packed RBCs	Hct	NA	NA	NA	55-80% w/o SAGM	
			NA	NA	NA	50-70% w. SAGM	
	Leukocyte Reduced RBCs	leukocyte count ($\times 10^6$ /unit)	70/55,311	0.11	0.16	$< 5 \times 10^6$ /unit	
血 小 板 類	Platelet Concentrate	platelet count ($\times 10^{10}$ /unit)	20/144	4.5	0.84	$\geq 2.75 \times 10^{10}$ /unit	
		pH	20/144	7.2	0.11	≥ 6.2	
	Apheresis Platelets	platelet count ($\times 10^{11}$ /unit)	13/2,584	3.8	0.29	$\geq 3.0 \times 10^{11}$ /unit	
		pH	13/2,584	7.4	0.058	≥ 6.2	
	Leukocyte Reduced Apheresis Platelets	leukocyte count ($\times 10^6$ /unit)	40/5,966	0.37	0.32	$< 5 \times 10^6$ /unit	
		platelet count ($\times 10^{11}$ /unit)	40/5,966	3.6	0.27	$\geq 3.0 \times 10^{11}$ /unit	
		pH	40/5,966	7.5	0.075	≥ 6.2	
	血 漿 類	FFP	Factor VIII	11/32,239	110	36	$\geq 70\%$
			RBC count ($\times 10^9$ /L)	40/32,239	ND	NA	$< 6.0 \times 10^9$ /L
leukocyte count ($\times 10^9$ /L)			40/32,239	0.0047	0.016	$< 0.1 \times 10^9$ /L	
platelet count ($\times 10^9$ /L)			40/32,239	2.1	6.3	$< 50 \times 10^9$ /L	
Cryo		factor VIII	12/11,230	60	18	≥ 40 IU /unit	
		fibrinogen	12/11,230	137	14	≥ 75 mg /unit	

備註：

- 1.FFP 之紅血球數目其檢驗值低於 CBC 偵測極限，以 Not Detectable, "ND" 表示。
2. No of tested/No of prepared 之 No 表示 unit。
- 3.110 年 7 月 1 日起全面製備 Leukocyte Reduced RBCs，已無製備 Packed RBCs 此項血品。

表 QP-BB-032-6.7-001