

台北捐血中心  
血液成品 QC 測試報告

製備場所：成分課、花蓮站

測試月份：111 年 4 月

Components		Test	No of tested /No of prepared	Test Result		Target Value	
				Mean	SD		
紅 血 球 類	Packed RBCs	Hct	NA	NA	NA	55-80% w/o SAGM	
			NA	NA	NA	50-70% w. SAGM	
	Leukocyte Reduced RBCs	leukocyte count ( $\times 10^6$ /unit)	89/56,852	0.093	0.079	$< 5 \times 10^6$ /unit	
血 小 板 類	Platelet Concentrate	platelet count ( $\times 10^{10}$ /unit)	20/92	4.5	1.1	$\geq 2.75 \times 10^{10}$ /unit	
		pH	20/92	7.2	0.13	$\geq 6.2$	
	Apheresis Platelets	platelet count ( $\times 10^{11}$ /unit)	14/2,723	3.5	0.29	$\geq 3.0 \times 10^{11}$ /unit	
		pH	13/2,723	7.5	0.078	$\geq 6.2$	
	Leukocyte Reduced Apheresis Platelets	leukocyte count ( $\times 10^6$ /unit)	40/6,645	0.34	0.22	$< 5 \times 10^6$ /unit	
		platelet count ( $\times 10^{11}$ /unit)	40/6,645	3.6	0.34	$\geq 3.0 \times 10^{11}$ /unit	
		pH	40/6,645	7.5	0.083	$\geq 6.2$	
	血 漿 類	FFP	Factor VIII	11/27,082	97	27	$\geq 70\%$
			RBC count ( $\times 10^9$ /L)	40/27,082	ND	NA	$< 6.0 \times 10^9$ /L
leukocyte count ( $\times 10^9$ /L)			40/27,082	0.0048	0.0072	$< 0.1 \times 10^9$ /L	
platelet count ( $\times 10^9$ /L)			40/27,082	9.03	12	$< 50 \times 10^9$ /L	
Cryo		factor VIII	12/8,124	62	8.6	$\geq 40$ IU /unit	
		fibrinogen	12/8,124	141	27	$\geq 75$ mg /unit	

備註：

- 1.FFP 之紅血球數目其檢驗值低於 CBC 偵測極限，以 Not Detectable, "ND" 表示。
2. No of tested/No of prepared 之 No 表示 unit。
- 3.110 年 7 月 1 日起全面製備 Leukocyte Reduced RBCs，已無製備 Packed RBCs 此項血品。

表 QP-BB-032-6.7-001