

Components	Test	No of tested /No of prepared	Test Result		Target Value	
			Mean	SD		
紅血球類	Packed RBCs	Hct	NA	NA	NA	- % w/o SAGM
			NA	NA	NA	- % w. SAGM
血小類	Leukocyte Reduced RBCs	leukocyte count ( $\times 10^6$ /unit)	118/57,013	0.49	2	$< 5 \times 10^6$ /unit
血小類	Platelet Concentrate	pH	8/18	7.2	0.2	$\geq 6.2$
		Apheresis Platelets	Platelet Count ( $\times 10^{11}$ /unit)	10/3,029	3.8	0.34
	pH		10/3,029	7.5	0.084	$\geq 6.2$
	Leukocyte Reduced Apheresis Platelets	leukocyte count ( $\times 10^6$ /unit)	42/6,628	0.14	0.075	$< 5 \times 10^6$ /unit
		platelet count ( $\times 10^{11}$ /unit)	42/6,628	3.6	0.47	$\geq 3 \times 10^{11}$ /unit
		pH	42/6,628	7.4	0.083	$\geq 6.2$
血漿類	FFP	Factor VIII	14/26,403	106	35	$\geq 70\%$
		RBC count ( $\times 10^9$ /L)	77/26,403	ND	NA	$< 6 \times 10^9$ /L
		leukocyte count ( $\times 10^9$ /L)	77/26,403	0.00075	0.0027	$< 0.1 \times 10^9$ /L
		Platelet Count ( $\times 10^9$ /L)	77/26,403	0.11	0.42	$< 50 \times 10^9$ /L
	Cryo	Factor VIII	12/13,256	54	5.2	$\geq 40$ IU/unit
		Fibrinogen	12/13,256	122	26	$\geq 75$ mg/unit

備註：

1. FFP 之紅血球數目其檢驗值低於 CBC 偵測極限，以 Not Detectable , "ND" 表示。
2. factor VIII 及 fibrinogen 測試頻率每 2 個月執行。
3. No of tested/No of prepared 之 No 表示 unit。
4. 110 年 7 月 1 日起全面 製備 Leukocyte Reduced RBCs，已無製備 Packed RBCs 此項血品。)